



# MSDS

## MATERIAL SAFETY DATA SHEET

### *Ceramic Acrylic 212*

#### SECTION 1: PRODUCT IDENTIFICATION

---

Manufacturer's Name: American WeatherStar  
Address: PO Box 6256  
Mobile AL 36660  
Telephone: 251/476-7385  
Emergency Telephone: INFOTRAC — 800/535-5053

Product Name: Ceramic Acrylic 212

Hazard Ratings:

Health	1	1 = Slight
Flammability	0	0 = Least
Reactivity	0	0 = Least
Personal Protection	A	Safety glasses

Volatile Organic Compounds (VOC): 35.7 grams per liter

#### SECTION 2: HAZARDOUS MATERIAL IDENTIFICATION

---

Hazardous Component:	OSHA PEL	ACGIH TLV	TLV STEL	OTHER	WEIGHT %	CAS #
----------------------	-------------	--------------	-------------	-------	----------	-------

---

No toxic chemicals subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present.

#### SECTION 3: PHYSICAL & CHEMICAL CHARACTERISTICS

---

BOILING POINT: N/A  
VAPOR DENSITY (AIR = 1): 1.1  
COATING V.O.C.: 35.7 grams per liter; meets SCAQMD Rule 1113 for VOC content in Southern California  
SOLUBILITY IN WATER: Dispersible  
EVAPORATION RATE (BUTYL ACETATE = 1): <1  
VAPOR PRESSURE (mm HG): 15



# MSDS

## MATERIAL SAFETY DATA SHEET

### *Ceramic Acrylic 212*

#### SECTION 4: FIRE & EXPLOSION DATA

---

FLASH POINT: None  
EXTINGUISHING MEDIA: NA  
SPECIAL FIRE FIGHTING PROCEDURES: None  
UNUSUAL FIRE and EXPLOSION HAZARDS: None  
FLAMMABLE LIMITS: LEL: NA; UEL: NA

#### SECTION 5: REACTIVITY DATA

---

STABILITY: Stable  
HAZARDOUS DECOMPOSITION or BY-PRODUCTS: Carbon dioxide, carbon monoxide  
HAZARDOUS POLYMERIZATION: Will not occur.  
INCOMPATIBILITY: Do not mix with other chemicals

#### SECTION 6: HEALTH HAZARD DATA

---

##### ROUTE(S) OF ENTRY:

INHALATION:	Non irritating
SKIN:	Possible irritation
EYES:	Possibly irritating to eyes
INGESTION:	Possibly irritation to digestive tract

HEALTH HAZARDS (ACUTE and CHRONIC): None

##### CARCINOGENICITY:

NTP:	Ingredients not listed
IARC MONOGRAPHS:	Ingredients not listed
OSHA REGULATIONS:	Ingredients not listed

##### EMERGENCY AND FIRST AID:

SKIN CONTACT:	Rinse skin with clean water. Apply skin cream if irritation results.
EYE CONTACT:	Immediately flush eyes with clean water for 15 minutes. If irritation persists, GET MEDICAL/PHYSICIANS HELP.
INHALATION:	Remove to fresh air.
INGESTION:	Immediately drink large quantities of water, do not induce vomiting. GET MEDICAL ATTENTION IMMEDIATELY.



# MSDS

## MATERIAL SAFETY DATA SHEET *Ceramic Acrylic 212*

### SECTION 7: PRECAUTIONS FOR SAFE HANDLING & USE

---

SMALL SPILLS: Dilute with plenty of water and flush in sanitary sewer.  
WASTE DISPOSAL METHOD: Approved land fill, complying with all state, federal and local regulations.

PRECAUTIONS TO BE TAKEN  
IN HANDLING AND STORAGE: Do not allow product to freeze. Keep container closed when not in use. Keep product out of the reach of children.

### SECTION 8: CONTROL MEASURES

---

RESPIRATORY PROTECTION: Not required.  
VENTILATION: Mechanical vent recommended for enclosed areas.  
EYE PROTECTION: Chemical goggles with side shields.  
PROTECTIVE GLOVES: Rubber or neoprene  
OTHER PROTECTIVE  
CLOTHING OR EQUIPMENT: Not required.  
WORK/ HYGIENIC PRACTICES: Use good housekeeping practices.

### SECTION 9: ADDITIONAL INFORMATION

---

ENVIRONMENTAL INFORMATION:  
WASTE DISPOSAL METHOD: Dispose of waste in an authorized waste disposal facility in accordance with local, state and federal regulations.

WARNING: Empty container retains product residue and vapor. Observe all precautions when empty. Washing container will not make it safe for food or cosmetic storage.  
*Keep empty containers tightly sealed and away from the reach of children.*